

## **DETAILED ACTION**

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sunit Talapatra on March 22, 2010.

The application has been amended as follows:

In claim 40, line 10, before the period, insert -- wherein the flow rate of the blood flowing through the screening capture device is equal to the flow rate of blood collected in the absence of the device--.

In claim 55, second line, delete the second "is".

### ***Election/Restrictions***

Claims 1-6 and 8-39 are directed to an allowable product. Pursuant to the procedures set forth in MPEP § 821.04(B), claims 40-55, directed to the process of making or using an allowable product, previously withdrawn from consideration as a result of a restriction requirement, are hereby rejoined and fully examined for patentability under 37 CFR 1.104.

Because all claims previously withdrawn from consideration under 37 CFR 1.142 have been rejoined, **the restriction requirement as set forth in the Office action mailed on July 3, 2006 is hereby withdrawn.** In view of the withdrawal of the restriction requirement as to the rejoined inventions, applicant(s) are advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application. Once the restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

***Allowable Subject Matter***

Claims 1-6 and 8-39 are allowed.

The following is an examiner's statement of reasons for allowance. The primary reason for allowance is the inclusion of the limitations, as found in combination in the claims, of the flow rate of blood flowing through the screening capture device being equal to the flow rate of blood collected in the absence of the device. The prior art, including the cited prior art, does not teach structural limitations of a device that can specifically perform such a function, nor provide motivation to provide for such structural limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Phillips et al., 7,358,091 (field 2005, provisional 2004), discloses an assay using a perfusion device that models thrombus formation and regulates or adjust the shear rate to mimic blood flow through veins or arteries by changing flow rate of the pump or changing geometry of channel.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ANN Y. LAM whose telephone number is (571)272-0822. The examiner can normally be reached on Mon.-Thurs. 9-7:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Shibuya can be reached on 571-272-0806. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ann Y. Lam/  
Primary Examiner, Art Unit 1641